FL-BL-2020-07 - Graphic Specification Sheet



Panel J (x6):
Finished Size: 36”w x 92”h

Panel F (x2):
Finished Size: 114”w x 85”h

Panel W:
Finished Size: 232”w x 92”h

LAYOUT GUIDE LINES

- 2” bleed around perimeter
DO NOT save PDF or JPEG with bleed marks or crop marks

- CMYK color mode

-150 DPI at 100% scale

- Please send all Graphic Files at Full Scale as .JPEG or .PDF

- For best results, please place Critical information, important images, logos or text at least 1” in from edge when creating graphic layouts.

INFINITY EXHIBITS
affordable custom displays

FabLite BrightLine Panel W
FL-BL-PW

Backlit SEG Display

Primary Image Area
232”w x 92”h
Keep text and important images inside of red line.

Crop Size
234”w x 97”h

Graphic Size with Bleed
238.5”w x 99”h

50% Scale

- CMYK color
- Resolutions must be 150 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

FabLite BrightLine Panel F
FL-BL-PF

Backlit SEG Display

Primary Image Area
114”w x 85”h
Keep text and important images inside of red line.

Crop Size
118”w x 89”h

Graphic Size with Bleed
120”w x 92”h

- CMYK color
- Resolutions must be 150 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print

FabLite BrightLine Panel J
FL-BL-PJ

Backlit SEG Display

Primary Image Area
36”w x 92”h
Keep text and important images
inside of red line.

Crop Size
40”w x 96”h

Graphic Size with Bleed
42”w x 99”h

- CMYK color
- Resolutions must be 150 dpi
- All fonts must be created to outlines
- Embed all images in final document
- Save final document as PDF for print