


FabLite BrightLine Panel V

FL-BL-PV



PRODUCT DESCRIPTION

FabLite BrightLine smart light box displays feature swift tool-free installation, durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Panel V features the most popular exhibit size, filling up a 10ft booth with brilliant allure.

Mix-and-match with other FabLite BrightLine panels to create unique branded environments.

TV mounts, shelving units and counters complete an enhanced experience to really make brands stand out.

KEY FEATURES

- Easy tool free assembly
- Lightweight portable construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS

Assembled Unit	118"w x 96"h x 4"d
Packed Case	46.5"w x 15"h x 12"d, 71 lbs
Shipping Box	47"w x 16"h x 13"d, 73 lbs
Graphic Size	118"w x 96"h

GRAPHIC MATERIAL

Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 82
Blocker : One Planet light block recycled fabric	Bottles recycled 33

LED LIGHT SPECIFICATIONS

Power Requirements	192 W
CCT (Color Temp)	6000 K
Voltage Input	110 / 220V
Voltage Output	24V 11A 264W
Transformers Included	1

GRAPHIC FINISHING

Silicone sewn edges

WARRANTY



Limited Warranty Periods

- Frame : Lifetime
- Lights : 90 days
- Graphics : 30 days

FabLite BrightLine Panel V

FL-BL-PV


PARTS





ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.



1





2





3



4





5







FabLite BrightLine Panel V

FL-BL-PV

- 6 Push the silicone bead into each corner of the frame with your thumb.





Push the silicone bead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly





To Remove Graphic
Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter

- 7



FabLite BrightLine Panel E

FL-BL-PE



PRODUCT DESCRIPTION

FabLite BrightLine smart light box displays feature swift tool-free installation, durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Panel E boasts a flexible presence at 5ft wide, bold enough as a stand-alone illuminated showcase, and sized perfectly to pair up in popular 10ft booths.

Mix-and-match with other FabLite BrightLine panels to create unique branded environments.
TV mounts, shelving units and counters complete an enhanced experience to really make brands stand out.

KEY FEATURES

- Easy tool free assembly
- Lightweight portable construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS

Assembled Unit	60"w x 89"h x 4"d
Packed Case	46.5"w x 15"h x 12"d, 53 lbs
Shipping Box	47"w x 16"h x 13"d, 55 lbs
Graphic Size	60"w x 89"h

GRAPHIC MATERIAL

Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 39
Blocker : One Planet light block recycled fabric	Bottles recycled 16

LED LIGHT SPECIFICATIONS

Power Requirements	112 W
CCT (Color Temp)	6000 K
Voltage Input	110 / 220V
Voltage Output	24V 11A 264W
Transformers Included	1

GRAPHIC FINISHING




Silicone sewn edges

WARRANTY

Limited Warranty Periods

- Frame : Lifetime
- Lights : 90 days
- Graphics : 30 days



PARTS





ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.



1





2





3



4





5







FabLite BrightLine Panel E

FL-BL-PE

- ⑥ Push the silicone bead into each corner of the frame with your thumb.





Push the silicone bead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly




To Remove Graphic
Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter

- ⑦



FabLite BrightLine Panel A

FL-BL-PA



PRODUCT DESCRIPTION

FabLite BrightLine smart light box displays feature swift tool-free installation, durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Panel A showcases a radiant angled design, engaging as standalone banner, but also very effective as a striking accent in combination with other panels.

Mix-and-match with FabLite BrightLine panels to create unique branded environments. TV mounts, shelving units and counters complete an enhanced experience to really make brands stand out.

KEY FEATURES

- Easy tool free assembly
- Lightweight portable construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS

Assembled Unit	60"w x 89"h1 x 96"h2 x 4"d
Packed Case	46.5"w x 15"h x 12"d, 53 lbs
Shipping Box	47"w x 16"h x 13"d, 55 lbs
Graphic Size	60"w x 89"h1 x 96"h2

GRAPHIC MATERIAL

Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 42
Blocker : One Planet light block recycled fabric	Bottles recycled 17

LED LIGHT SPECIFICATIONS

Power Requirements	112 W
CCT (Color Temp)	6000 K
Voltage Input	110 / 220V
Voltage Output	24V 11A 264W
Transformers Included	1

GRAPHIC FINISHING




Silicone sewn edges

WARRANTY

Limited Warranty Periods

- Frame : Lifetime
- Lights : 90 days
- Graphics : 30 days



PARTS





ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.



1





2





3



4





5







FabLite BrightLine Panel A

FL-BL-PA

- ⑥ Push the silicone bead into each corner of the frame with your thumb.





Push the silicone bead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly




To Remove Graphic
Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter

- ⑦



FabLite BrightLine Panel B3 Door

FL-BL-PB3-D



PRODUCT DESCRIPTION

Elevate the game with FabLite BrightLine B3 Doors, designed for both security and style! These doors provide enhanced security with an anti-tampering keyless combination lock, ensuring safe storage during events. Designed with a sleek, modern aesthetic, they seamlessly integrate with BrightLine modular displays for a flawless fit. Featuring One Planet Graphics, these doors come fully branded with double-sided graphics to maximize visual impact.

Their tool-free, hassle-free setup allows for quick assembly, while the collapsible design enables easy packing into foam-lined shipping cases for superior portability. Combining security, style, and convenience, FabLite BrightLine B3 Doors enhance any professional display setup.

KEY FEATURES

- Modular system
- Easy tool free assembly
- Lightweight portable construction
- Anti-tampering keyless combination lock
- Heavy duty shipping case, molded foam inserts
- Includes 2 printed graphics
- Vibrant graphics on recycled fabric

GRAPHIC MATERIAL

Graphic Print :
Dye sublimated on One Planet, 100% recycled, fabric

Bottles recycled
40

GRAPHIC FINISHING

Silicone sewn edges

WARRANTY

Limited Warranty Periods
- Frame : Lifetime
- Graphics : 30 days




DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS

Assembled Unit	36"w x 89"h x 4"d
Packed Case	46.5"w x 15"h x 8.7"d, 32 lbs
Shipping Box	47"w x 16"h x 10"d, 34 lbs
Graphic Size	33.75"w x 86.25"h


PARTS




ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.


1




3



2



4



ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.


5



7



6





8







FabLite BrightLine Panel B3 Door

FL-BL-PB3-D

- 9 Push the silicone bead into each corner of the frame with your thumb.



Push the silicone bead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly



To Remove Graphic

Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter

10



Turn to default passcode (000) and twist knob to unlocked position




Insert pin in the reset hole on the side and keep pressing while setting new passcode



Release and remove pin from hole

FabLite BrightLine Panel B3

FL-BL-PB3



PRODUCT DESCRIPTION

FabLite BrightLine smart light box displays feature swift tool-free installation durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Panel B3 elevates the traditional banner stand into an illuminated eye-catcher, with a compact foot-print perfect for retail stores or traveling sales teams. Paired with an optional TV mount, it's the ultimate dynamic display.

Mix-and-match with other FabLite BrightLine panels, to create unique branded environments. TV Mounts, shelving units and counters complete an enhanced experience to really make brands stand out.

KEY FEATURES

- Easy tool free assembly
- Lightweight portable construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS

Assembled Unit	36"w x 89"h x 4"d
Packed Case	46.5"w x 15"h x 8.7"d, 40 lbs
Shipping Box	47"w x 16"h x 10"d, 42 lbs
Graphic Size	36"w x 89"h

GRAPHIC MATERIAL

Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 24
Blocker : One Planet light block recycled fabric	Bottles recycled 10

LED LIGHT SPECIFICATIONS

Power Requirements	64 W
CCT (Color Temp)	6000 K
Voltage Input	110 / 220V
Voltage Output	24V 4A 96W
Transformers Included	1

GRAPHIC FINISHING



Silicone sewn edges

WARRANTY

Limited Warranty Periods

- Frame : Lifetime
- Lights : 90 days
- Graphics : 30 days



PARTS





ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.



1





2



3





4







FabLite BrightLine Panel B3

FL-BL-PB3

- 5 Push the silicone bead into each corner of the frame with your thumb.



Push the silicone bead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly



To Remove Graphic
Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter

- 6

