


FabLite BrightLine Panel J

FL-BL-PJ



PRODUCT DESCRIPTION

FabLite BrightLine smart light box displays feature swift tool-free installation, durable light-weight frames, embedded LEDs, and exclusive One Planet recycled fabrics with impressive vivid graphics, all conveniently organized in a heavy-duty shipping case. Panel J is sized for versatile display opportunities, as a stand-alone banner, a closing sidewall, or seamlessly connecting to create popular 10ft and 20ft exhibits.

Mix-and-match with other FabLite BrightLine panels to create unique branded environments. TV mounts, shelving units and counters complete an enhanced experience to really make brands stand out.

KEY FEATURES

- Easy tool free assembly
- Lightweight portable construction
- Magnetic power links
- LED lights encapsulated in frame
- Heavy duty shipping case, molded foam inserts
- Single- or double-sided
- Vibrant graphics on recycled fabric

DISPLAY CONSTRUCTION

Aluminum frame with aluminum support poles

DIMENSIONS

Assembled Unit	40"w x 96"h x 4"d
Packed Case	46.5"w x 15"h x 8.7"d, 43 lbs
Shipping Box	47"w x 16"h x 10"d, 45 lbs
Graphic Size	40"w x 96"h

GRAPHIC MATERIAL

Graphic Print : Dye sublimated on One Planet, 100% recycled, backlit fabric	Bottles recycled 28
Blocker : One Planet light block recycled fabric	Bottles recycled 11

LED LIGHT SPECIFICATIONS

Power Requirements	64 W
CCT (Color Temp)	6000 K
Voltage Input	110 / 220V
Voltage Output	24V 4A 96W
Transformers Included	1

GRAPHIC FINISHING



Silicone sewn edges

WARRANTY

Limited Warranty Periods

- Frame : Lifetime
- Lights : 90 days
- Graphics : 30 days



PARTS





ASSEMBLY

Assemble parts on the floor and stand-up unit when completed.



1





2



3





4







FabLite BrightLine Panel J

FL-BL-PJ

- 5 Push the silicone bead into each corner of the frame with your thumb.





Push the silicone bead into the middle of the run and work your way around the perimeter of the frame until all beading is pushed in properly



To Remove Graphic
Use the pull tab located on the graphic and gently pull the graphic from the frame, going around the perimeter


- 6



FabLite BrightLine Panel J

Double Sided Monitor Mount

FL-BL-PJ-DSTV



PRODUCT DESCRIPTION

Optimized for BrightLine these mounts create a sleek, “floating” screen effect. Installation is effortless—slide the TV bar into the frame, secure the monitor plates with screws, and attach your screens. Side feet are included for enhanced stability. Graphics can be finished with four pre-cut slits for easy access or use the included cutter to customize your own cutouts as needed.



MONITOR SPECIFICATIONS

Holds monitors up to 25 lbs, VESA 200 X 200

DIMENSIONS







Shipping Box	14" w x 4" d x 42" h, 10 lbs
--------------	------------------------------

PARTS



(1x) Allen Key	 5mm	  Monitor Plate (2) Monitor Brackets (4)
(8x) Bracket-to-Monitor Screws: M5, M6, & M8 screws included. Check your TV for specs		
Spacers		
Cutter		
 (4) M6 screws Double Sided TV Bar 40"		 Side Foot (2)
*Philips Screwdriver not included		

FabLite BrightLine Panel J Double Sided Monitor Mount


FL-BL-PJ-DSTV






*Remove M6 Screws from TV Bar, using Allen key.



*Use cutter to create a 1" vertical slit on fabric, where M6 screws fit on TV bar. Don't worry fabric will not run.



*Attach monitor plate with M6 screws, using Allen key. Add spacers as needed. Repeat on flip side.



*Attach brackets to monitor and hang on the plate.

FabLite BrightLine Panel J
Double Sided Monitor Mount

FL-BL-PJ-DSTV

PARTS INCLUDED

Adhesive Cable Clips (4x)



Reusable Velcro Cable Ties (5x)




Resealable Lock Bag




You will need 10ft Extension Cable

1




Connect the extension cable to your TV. Route cable inside the groove of the TV bar and use cable ties to secure in place.

2




Attach wire clips to the frame. Then route the cable through and secure within the clips.

3



Route cable through the bottom corner of the frame.

4



Secure the vertical end of the graphic first, adjust cable, then finish with the bottom of the fabric